

- CC Ex:** I23.0-I23.4, I23.6-I23.8, I51.0-I51.1, I87.8-I87.9, I99.8-I99.9
- 123.5 Rupture of papillary muscle as current complication following acute myocardial infarction** MCC
EXCLUDES 1 *rupture of papillary muscle not specified as current complication following acute myocardial infarction (I51.2)*
CC Ex: I23.0-I23.3, I23.5-I23.8, I51.0, I51.2, I87.8-I87.9, I99.8-I99.9
- 123.6 Thrombosis of atrium, auricular appendage, and ventricle as current complications following acute myocardial infarction** CC A
EXCLUDES 1 *thrombosis of atrium, auricular appendage, and ventricle not specified as current complication following acute myocardial infarction (I51.3)*
CC Ex: See I23.0
- 123.7 Postinfarction angina** CC A
CODING TIP ✓ When angina is documented as onset following an MI, due to the onset of the MI, code I23.7 should be assigned. Keep in mind that this code is a complication code and should only be coded when the medical record supports its use. The use of I23.7 would not be appropriate in a patient with a history of angina having an onset prior to the MI, which continues to produce symptoms following the MI.
AHA: 2Q 2015, 16-17
CC Ex: See I23.0
- 123.8 Other current complications following acute myocardial infarction** CC A
CC Ex: See I23.0
- I24 Other acute ischemic heart diseases**
EXCLUDES 1 *angina pectoris (I20.-) transient myocardial ischemia in newborn (P29.4)*
- 124.0 Acute coronary thrombosis not resulting in myocardial infarction** CC A
 Acute coronary (artery) (vein) embolism not resulting in myocardial infarction
 Acute coronary (artery) (vein) occlusion not resulting in myocardial infarction
 Acute coronary (artery) (vein) thromboembolism not resulting in myocardial infarction
EXCLUDES 1 *atherosclerotic heart disease (I25.1-)*
AHA: 1Q 2013, 24
CC Ex: I20.0-I20.9, I21.01-I21.09, I21.11-I21.19, I21.21-I21.29, I21.3-I21.4, I22.0-I22.9, I24.0-I24.9, I25.5-I25.6, I25.89, I25.9, I87.8-I87.9, I99.8-I99.9
- 124.1 Dressler's syndrome** CC A
 Postmyocardial infarction syndrome
EXCLUDES 1 *postinfarction angina (I23.7)*
DEFINITION Fever, chest pain, pleuritis, and pericarditis weeks or months after heart injury caused by surgery or myocardial infarction.
CC Ex: I24.0-I24.9, I87.8-I87.9, I99.8-I99.9
- 124.8 Other forms of acute ischemic heart disease** CC A
CC Ex: See I24.0
- 124.9 Acute ischemic heart disease, unspecified** CC A
EXCLUDES 1 *ischemic heart disease (chronic) NOS (I25.9)*
CC Ex: See I24.0
- I25 Chronic ischemic heart disease**
Use additional code to identify:
chronic total occlusion of coronary artery (I25.82)
exposure to environmental tobacco smoke (Z77.22)
history of tobacco use (Z87.891)
occupational exposure to environmental tobacco smoke (Z57.31)
tobacco dependence (F17.-)
tobacco use (Z72.0)

GUIDELINES Section I.C.9.b


ICD-10-CM has combination codes for atherosclerotic heart disease with angina pectoris. The subcategories for these codes are I25.11, Atherosclerotic heart disease of native coronary artery with angina pectoris, and I25.7, Atherosclerosis of coronary artery bypass graft(s) and coronary artery of transplanted heart with angina pectoris.

When using one of these combination codes it is not necessary to use an additional code for angina pectoris. A causal relationship can be assumed in a patient with both atherosclerosis and angina pectoris, unless the documentation indicates the angina is due to something other than the atherosclerosis.

If a patient with coronary artery disease is admitted due to an acute myocardial infarction (AMI), the AMI should be sequenced before the coronary artery disease.

- I25.1 Atherosclerotic heart disease of native coronary artery** A
 Atherosclerotic cardiovascular disease
 Coronary (artery) atheroma
 Coronary (artery) atherosclerosis
 Coronary (artery) disease
 Coronary (artery) sclerosis
Use additional code, if applicable, to identify:
coronary atherosclerosis due to calcified coronary lesion (I25.84)
coronary atherosclerosis due to lipid rich plaque (I25.83)
EXCLUDES 2 *atheroembolism (I75.-) atherosclerosis of coronary artery bypass graft (s) and transplanted heart (I25.7-)*
- + I25.10 Atherosclerotic heart disease of native coronary artery without angina pectoris** A
 Atherosclerotic heart disease NOS
DEFINITION Clogging of coronary arteries with fatty plaque build-up, restricting blood flow and hardening the arteries.
AHA: 2Q 2015, 17
AHA: 4Q 2013, 128
AHA: 4Q 2012, 92

Atherosclerotic heart disease of native coronary artery without angina pectoris



- I25.11 Atherosclerotic heart disease of native coronary artery with angina pectoris** A
CODING TIP ✓ When a patient presents with both coronary artery disease (CAD) / atherosclerotic heart disease and angina, a code from I25.11- should be assigned. If the specific type of angina is not specified in the clinical record, assign code I25.119.
- + I25.110 Atherosclerotic heart disease of native coronary artery with unstable angina pectoris** CC PDX CC A
EXCLUDES 1 *unstable angina without atherosclerotic heart disease (I20.0)*
CC Ex: See I20.0